

Table 2. Vulnerability of *clinically fit* older patients with haematological malignancies in the G8 score and Comprehensive Geriatric Assessment (CGA) (n=90)

	Score range	Cut-off score	Vulnerable %
G8 score	0-17	≤14.5	72%
CGA total score	0-8	≥2	80%
Functional status			
Activities of Daily Living (ADL)	0-6	≤5	11%
Instrumental activities of daily living (IADL)			
Men	0-5	≤4	28%
Women	0-8	≤7	49%
Risk of falls status			
Time-up and Go test (TUG)	In second	≥15	4%
Fall during the last year (Falls)	Number	≥2	13%
Fatigue status			
Mobility-tiredness scale (Mob-t)	0-6	<5	40%
Nutritional status			
Mini nutritional assessment (MNA)	0-30	≤23,5	44%
Cognitive status			
Mini mental state examination (MMSE)	0-30	<27	31%
Montreal cognitive assessment (MoCA)	0-30	<26	51%
Emotional status			
Hospital anxiety and depression scale (HADS)	0-42	≥19	16%
Geriatric depression scale four items (GDS-4)	0-4	≥2	25%
Polypharmacy			
Number of drugs (Drugs)	Number	≥5	50%
Comorbidities			
Charlson comorbidity index (CCI)	0-30	≥2	61%