

Bibliography

- Alexeev, I. I., and E. S. Belenkaya (2005), Modeling of the Jovian Magnetosphere, *Annales Geophysicae*, *23*, 809–826.
- Bagenal, F. (1994), Empirical model of the Io plasma torus: Voyager measurements, *J. Geophys. Res.*, *99*, 11,043–11,062, doi:10.1029/93JA02908.
- Baker, D. J. (1974), Rayleigh, the unit for light radiance., *Applied Optics*, *13*, 2160–2163.
- Bhardwaj, A., and M. Michael (2002), Io-Jupiter system: a unique case of moon-planet interaction, in *Earth-like Planets and Moons, ESA Special Publication*, vol. 514, edited by B. H. Foing and B. Battrick, pp. 115–121.
- Bigg, E. K. (1964), Influence of the Satellite Io on Jupiter's Decametric Emission, *Nature*, *203*, 1008–+.
- Bisikalo, D. V., V. I. Shematovich, J.-C. Gérard, G. R. Gladstone, and J. H. Waite (1996), The distribution of hot hydrogen atoms produced by electron and proton precipitation in the Jovian aurora, *J. Geophys. Res.*, *101*, 21,157–21,168, doi: 10.1029/96JE01952.
- Boffi, F. R., M. Sirianni, R. A. Lucas, N. R. Walborn, and C. R. Proffitt (2008), Delivery of a new ACS SBC throughput curve for Synphot, *Technical Instrument Report ACS 2008-002*, STSCI, tIR ACS 2008-002.
- Bonfond, B., J.-C. Gérard, D. Grodent, and J. Saur (2007), Ultraviolet Io footprint short timescale dynamics, *Geophys. Res. Lett.*, *34*, 6201–+, doi: 10.1029/2006GL028765.

- Bonfond, B., D. Grodent, J.-C. Gérard, A. Radioti, J. Saur, and S. Jacobsen (2008), UV Io footprint leading spot: A key feature for understanding the UV Io footprint multiplicity?, *Geophys. Res. Lett.*, *35*, 5107–+, doi:10.1029/2007GL032418.
- Bonfond, B., D. Grodent, J.-C. Gérard, A. Radioti, V. Dols, P. A. Delamere, and J. T. Clarke (2009), The Io UV footprint: Location, inter-spot distances and tail vertical extent, *J. Geophys. Res.*, *114*, 7224–+, doi:10.1029/2009JA014312.
- Broadfoot, A. L., B. R. Sandel, D. E. Shemansky, J. B. Holberg, G. R. Smith, D. F. Strobel, J. C. McConnell, S. Kumar, D. M. Hunten, S. K. Atreya, T. M. Donahue, H. W. Moos, J. L. Bertaux, J. E. Blamont, R. B. Pomphrey, and S. Linick (1981), Extreme ultraviolet observations from Voyager 1 encounter with Saturn, *Science*, *212*, 206–211, doi:10.1126/science.212.4491.206.
- Carlson, C. W., J. P. McFadden, R. E. Ergun, M. Temerin, W. Peria, F. S. Mozer, D. M. Klumpar, E. G. Shelley, W. K. Peterson, E. Moebius, R. Elphic, R. Strangeway, C. Cattell, and R. Pfaff (1998), FAST observations in the downward auroral current region: Energetic upgoing electron beams, parallel potential drops, and ion heating, *Geophys. Res. Lett.*, *25*, 2017–2020, doi:10.1029/98GL00851.
- Chust, T., A. Roux, W. S. Kurth, D. A. Gurnett, M. G. Kivelson, and K. K. Khurana (2005), Are Io's Alfvén wings filamented? Galileo observations, *Planet. Space Sci.*, *53*, 395–412, doi:10.1016/j.pss.2004.09.021.
- Clarke, J. T., G. E. Ballester, J. Trauger, R. Evans, J. E. P. Connerney, K. Stapelfeldt, D. Crisp, P. D. Feldman, C. J. Burrows, S. Casertano, J. S. Gallagher, III, R. E. Griffiths, J. J. Hester, J. G. Hoessel, J. A. Holtzman, J. E. Krist, V. Meadows, J. R. Mould, P. A. Scowen, A. M. Watson, and J. A. Westphal (1996), Far-Ultraviolet Imaging of Jupiter's Aurora and the lo "Footprint", *Science*, *274*, 404–409.
- Clarke, J. T., G. E. Ballester, J. Trauger, J. Ajello, W. Pryor, K. Tobiska, J. E. P. Connerney, G. R. Gladstone, J. H. Waite, L. Ben Jaffel, and J.-C. Gérard (1998), Hubble Space Telescope imaging of Jupiter's UV aurora during the Galileo orbiter mission, *J. Geophys. Res.*, *103*, 20,217–20,236.
- Clarke, J. T., J. Ajello, G. Ballester, L. Ben Jaffel, J. Connerney, J.-C. Gérard, G. R. Gladstone, D. Grodent, W. Pryor, J. Trauger, and J. H. Waite (2002), Ultraviolet

emissions from the magnetic footprints of Io, Ganymede and Europa on Jupiter, *Nature*, 415, 997–1000.

Clarke, J. T., D. Grodent, S. W. H. Cowley, E. J. Bunce, P. Zarka, J. E. P. Connerney, and T. Satoh (2004), *Jupiter's aurora*, pp. 639–670, Jupiter. The Planet, Satellites and Magnetosphere.

Clarke, J. T., J.-C. Gérard, D. Grodent, S. Wannawichian, J. Gustin, J. Connerney, F. Crary, M. Dougherty, W. Kurth, S. W. H. Cowley, E. J. Bunce, T. Hill, and J. Kim (2005), Morphological differences between Saturn's ultraviolet aurorae and those of Earth and Jupiter, *Nature*, 433, 717–719, doi:10.1038/nature03331.

Connerney, J. E. P. (1981), The magnetic field of Jupiter - A generalized inverse approach, *J. Geophys. Res.*, 86, 7679–7693, doi:10.1029/JA086iA09p07679.

Connerney, J. E. P., and T. Satoh (2000), The H_3^+ ion: a remote diagnostic of the jovian magneto sphere, in *Astronomy, physics and chemistry of H+3*, pp. 2471–.

Connerney, J. E. P., R. Baron, T. Satoh, and T. Owen (1993), Images of Excited H_3^+ at the Foot of the Io Flux Tube in Jupiter's Atmosphere, *Science*, 262, 1035–1038.

Connerney, J. E. P., M. H. Acuña, and N. F. Ness (1996), Octupole model of Jupiter's magnetic field from Ulysses observations, *J. Geophys. Res.*, 101, 27,453–27,458, doi:10.1029/96JA02869.

Connerney, J. E. P., M. H. Acuña, N. F. Ness, and T. Satoh (1998), New models of Jupiter's magnetic field constrained by the Io flux tube footprint, *J. Geophys. Res.*, 103, 11,929–11,940, doi:10.1029/97JA03726.

Cowley, S. W. H., E. J. Bunce, T. S. Stallard, and S. Miller (2003), Jupiter's polar ionospheric flows: Theoretical interpretation, *Geophys. Res. Lett.*, 30(5), 050,000–1, doi:10.1029/2002GL016030.

Cowley, S. W. H., C. S. Arridge, E. J. Bunce, J. T. Clarke, A. J. Coates, M. K. Dougherty, J.-C. Gérard, D. Grodent, J. D. Nichols, and D. L. Talboys (2008), Auroral current systems in Saturn's magnetosphere: comparison of theoretical models with Cassini and HST observations, *Annales Geophysicae*, 26, 2613–2630.

Crary, F. J. (1997), On the generation of an electron beam by Io, *J. Geophys. Res.*, 102, 37–50, doi:10.1029/96JA02409.

- Crary, F. J., and F. Bagenal (1997), Coupling the plasma interaction at Io to Jupiter, *Geophys. Res. Lett.*, *24*, 2135–+.
- Dalgarno, A., M. Yan, and W. Liu (1999), Electron Energy Deposition in a Gas Mixture of Atomic and Molecular Hydrogen and Helium, *The Astrophysical Journal Supplement Series*, *125*, 237–256, doi:10.1086/313267.
- Das, A., and W.-H. Ip (2000), Field aligned current and particle acceleration in the near-Io plasma torus, *Planet. Space Sci.*, *48*, 127–131, doi:10.1016/S0032-0633(99)00086-0.
- Delamere, P. A., F. Bagenal, R. Ergun, and Y.-J. Su (2003), Momentum transfer between the Io plasma wake and Jupiter's ionosphere, *J. Geophys. Res.*, *108*, 11–1, doi:10.1029/2002JA009530.
- Dols, V. (2001), The interaction of io and the jovian magnetic field: Io's alfvén wings and particle acceleration, Master's thesis, University of Alaska Fairbanks.
- Dols, V., J. C. Gérard, J. T. Clarke, J. Gustin, and D. Grodent (2000), Diagnostics of the Jovian Aurora Deduced from Ultraviolet Spectroscopy: Model and HST/GHRS Observations, *Icarus*, *147*, 251–266, doi:10.1006/icar.2000.6415.
- Dols, V., P. A. Delamere, and F. Bagenal (2008), A multispecies chemistry model of Io's local interaction with the Plasma Torus, *J. Geophys. Res.*, *113*, 9208–+, doi:10.1029/2007JA012805.
- Drossart, P., B. Bezard, S. K. Atreya, J. Bishop, J. H. Waite, Jr., and D. Boice (1993), Thermal profiles in the auroral regions of Jupiter, *J. Geophys. Res.*, *98*, 18,803–+, doi:10.1029/93JE01801.
- Ergun, R. E., Y.-J. Su, L. Andersson, F. Bagenal, P. A. Delemere, R. L. Lysak, and R. J. Strangeway (2006), S bursts and the Jupiter ionospheric Alfvén resonator, *J. Geophys. Res.*, *111*, 6212–+, doi:10.1029/2005JA011253.
- Ergun, R. E., L. Ray, P. A. Delamere, F. Bagenal, V. Dols, and Y.-J. Su (2009), Generation of parallel electric fields in the Jupiter-Io torus wake region, *J. Geophys. Res.*, *114*, 5201–+, doi:10.1029/2008JA013968.
- Frank, L. A., and W. R. Paterson (1999), Intense electron beams observed at Io with the Galileo spacecraft, *J. Geophys. Res.*, *104*, 28,657–+.

- Frank, L. A., and W. R. Paterson (2000a), Observations of plasmas in the Io torus with the Galileo spacecraft, *J. Geophys. Res.*, *105*, 16,017–16,034, doi: 10.1029/1999JA000250.
- Frank, L. A., and W. R. Paterson (2000b), Return to Io by the Galileo spacecraft: Plasma observations, *J. Geophys. Res.*, *105*, 25,363–25,378, doi: 10.1029/1999JA000460.
- Frank, L. A., and W. R. Paterson (2002), Plasmas observed with the Galileo spacecraft during its flyby over Io's northern polar region, *J. Geophys. Res.*, *107*, 1220–+, doi:10.1029/2002JA009240.
- Frank, L. A., W. R. Paterson, K. L. Ackerson, V. M. Vasyliunas, F. V. Coroniti, and S. J. Bolton (1996), Plasma Observations at lo with the Galileo Spacecraft, *Science*, *274*, 394–395.
- Garvey, R. H., and A. E. S. Green (1976), Energy-apportionment techniques based upon detailed atomic cross sections, *Physical Review A (General Physics)*, *14*, 946–953, doi:10.1103/PhysRevA.14.946.
- Garvey, R. H., H. S. Porter, and A. E. S. Green (1977), An analytic degradation spectrum for H₂, *Journal of Applied Physics*, *48*, 190–193, doi:10.1063/1.323308.
- Geissler, P. E., W. H. Smyth, A. S. McEwen, W. Ip, M. J. S. Belton, T. V. Johnson, A. P. Ingersoll, K. Rages, W. Hubbard, and A. J. Dessler (2001), Morphology and time variability of Io's visible aurora, *J. Geophys. Res.*, *106*, 26,137–26,146, doi:10.1029/2000JA002511.
- Gérard, J.-C., and V. Singh (1982), A model of energy deposition of energetic electrons and EUV emission in the Jovian and Saturnian atmospheres and implications, *J. Geophys. Res.*, *87*, 4525–4532, doi:10.1029/JA087iA06p04525.
- Gérard, J.-C., J. Gustin, D. Grodent, P. Delamere, and J. T. Clarke (2002), Excitation of the FUV Io tail on Jupiter: Characterization of the electron precipitation, *J. Geophys. Res.*, *107*, 30–1, doi:10.1029/2002JA009410.
- Gérard, J.-C., D. Grodent, J. Gustin, A. Saglam, J. T. Clarke, and J. T. Trauger (2004), Characteristics of Saturn's FUV aurora observed with the Space Telescope Imaging Spectrograph, *J. Geophys. Res.*, *109*, 9207–+, doi: 10.1029/2004JA010513.

- Gérard, J.-C., A. Saglam, D. Grodent, and J. T. Clarke (2006), Morphology of the ultraviolet Io footprint emission and its control by Io's location, *J. Geophys. Res.*, *111*, 4202–+, doi:10.1029/2005JA011327.
- Gérard, J.-C., B. Bonfond, J. Gustin, D. Grodent, J. T. Clarke, D. Bisikalo, and V. Shematovich (2009), Altitude of Saturn's aurora and its implications for the characteristic energy of precipitated electrons, *Geophys. Res. Lett.*, *36*, 2202–+, doi:10.1029/2008GL036554.
- Gladstone, G. (1982), Radiative transfer and photochemistry in the Upper atmosphere of Jupiter, Ph.D. thesis, California institute of Technology, Pasadena.
- Gladstone, G. R., M. Allen, and Y. L. Yung (1996), Hydrocarbon Photochemistry in the Upper Atmosphere of Jupiter, *Icarus*, *119*, 1–52, doi:10.1006/icar.1996.0001.
- Gladstone, G. R., S. A. Stern, D. C. Slater, M. Versteeg, M. W. Davis, K. D. Rutherford, L. A. Young, A. J. Steffl, H. Throop, J. W. Parker, H. A. Weaver, A. F. Cheng, G. S. Orton, J. T. Clarke, and J. D. Nichols (2007), Jupiter's Nightside Airglow and Aurora, *Science*, *318*, 229–, doi:10.1126/science.1147613.
- Goertz, C. K. (1980), Io's interaction with the plasma torus, *J. Geophys. Res.*, *85*, 2949–2956, doi:10.1029/JA085iA06p02949.
- Goertz, C. K., and P. A. Deift (1973), Io's interaction with the magnetosphere, *Planet. Space Sci.*, *21*, 1399–1415, doi:10.1016/0032-0633(73)90232-8.
- Goldreich, P., and D. Lynden-Bell (1969), Io, a jovian unipolar inductor, *Astrophys. Journal*, *156*, 59–78.
- Grodent, D., G. R. Gladstone, J. C. Gerard, V. Dols, and J. H. Waite (1997), Simulation of the Morphology of the Jovian UV North Aurora Observed with the Hubble Space Telescope, *Icarus*, *128*, 306–321, doi:10.1006/icar.1997.5740.
- Grodent, D., J. Waite, and J.-C. Gérard (2001), A self-consistent model of the Jovian auroral thermal structure, *J. Geophys. Res.*, *106*, 12,933–12,952, doi:10.1029/2000JA900129.
- Grodent, D., J. T. Clarke, J. Kim, J. H. Waite, and S. W. H. Cowley (2003a), Jupiter's main auroral oval observed with HST-STIS, *J. Geophys. Res.*, *108*, 2–1, doi:10.1029/2003JA009921.

- Grodent, D., J. T. Clarke, J. H. Waite, S. W. H. Cowley, J.-C. Gérard, and J. Kim (2003b), Jupiter's polar auroral emissions, *J. Geophys. Res.*, **108**, 1366–+, doi:10.1029/2003JA010017.
- Grodent, D., J.-C. Gérard, J. T. Clarke, G. R. Gladstone, and J. H. Waite (2004), A possible auroral signature of a magnetotail reconnection process on Jupiter, *J. Geophys. Res.*, **109**, 5201–+, doi:10.1029/2003JA010341.
- Grodent, D., J.-C. Gérard, S. W. H. Cowley, E. J. Bunce, and J. T. Clarke (2005a), Variable morphology of Saturn's southern ultraviolet aurora, *J. Geophys. Res.*, **110**, 7215–+, doi:10.1029/2004JA010983.
- Grodent, D., J.-C. Gérard, A. Saglam, J. Gustin, J. T. Clarke, and J. E. Connerney (2005b), Location and Morphology of Io's FUV Footprint Emissions on Jupiter, in *Magnetospheres of the Outer Planets 2005*.
- Grodent, D., B. Bonfond, J.-C. Gérard, A. Radioti, J. Gustin, J. T. Clarke, J. Nichols, and J. E. P. Connerney (2008a), Auroral evidence of a localized magnetic anomaly in Jupiter's northern hemisphere, *J. Geophys. Res.*, **113**, 9201–+, doi:10.1029/2008JA013185.
- Grodent, D., J.-C. Gérard, A. Radioti, B. Bonfond, and A. Saglam (2008b), Jupiter's changing auroral location, *J. Geophys. Res.*, **113**, 1206–+, doi:10.1029/2007JA012601.
- Grodent, D., B. Bonfond, A. Radioti, J.-C. Gérard, X. Jia, J. D. Nichols, and J. T. Clarke (2009), Auroral footprint of Ganymede, *J. Geophys. Res.*, **114**, 7212–+, doi:10.1029/2009JA014289.
- Gustin, J., P. D. Feldman, J.-C. Gérard, D. Grodent, A. Vidal-Madjar, L. Ben Jaffel, J.-M. Desert, H. W. Moos, D. J. Sahnow, H. A. Weaver, B. C. Wolven, J. M. Ajello, J. H. Waite, E. Roueff, and H. Abgrall (2004a), Jovian auroral spectroscopy with FUSE: analysis of self-absorption and implications for electron precipitation, *Icarus*, **171**, 336–355, doi:10.1016/j.icarus.2004.06.005.
- Gustin, J., J.-C. Gérard, D. Grodent, S. W. H. Cowley, J. T. Clarke, and A. Grard (2004b), Energy-flux relationship in the FUV Jovian aurora deduced from HST-STIS spectral observations, *J. Geophys. Res.*, **109**, 10,205–+, doi:10.1029/2003JA010365.

- Gustin, J., J.-C. Gérard, W. Pryor, P. D. Feldman, D. Grodent, and G. Holsclaw (2009), Characteristics of Saturn's polar atmosphere and auroral electrons derived from HST/STIS, FUSE and Cassini/UVIS spectra, *Icarus*, 200, 176–187, doi: 10.1016/j.icarus.2008.11.013.
- Hess, S., P. Zarka, and F. Mottez (2007), Io Jupiter interaction, millisecond bursts and field-aligned potentials, *Planet. Space Sci.*, 55, 89–99, doi: 10.1016/j.pss.2006.05.016.
- Hess, S., P. Zarka, F. Mottez, and V. B. Ryabov (2009), Electric potential jumps in the Io-Jupiter flux tube, *Planetary and Space Science*, 57, 23–33, doi: 10.1016/j.pss.2008.10.006.
- Hess, S., P. Delamere, V. Dols, B. Bonfond, and D. Swift (in preparationa), Power transmission and particle acceleration along the io flux tube.
- Hess, S., A. Petin, P. Zarka, B. Bonfond, and B. Cecconi (in preparationb), Lead angles and emitting electron velocities of the southern io-controlled radio arcs.
- Hill, T. W., and V. M. Vasyliūnas (2002), Jovian auroral signature of Io's corotational wake, *J. Geophys. Res.*, 107, 27–1, doi:10.1029/2002JA009514.
- Hinson, D. P., A. J. Kliore, F. M. Flasar, J. D. Twicken, P. J. Schinder, and R. G. Herrera (1998), Galileo radio occultation measurements of Io's ionosphere and plasma wake, *J. Geophys. Res.*, 103, 29,343–29,358, doi:10.1029/98JA02659.
- Ingersoll, A. P., A. R. Vasavada, B. Little, C. D. Anger, S. J. Bolton, C. Alexander, K. P. Klaasen, and W. K. Tobiska (1998), Imaging Jupiter's Aurora at Visible Wavelengths, *Icarus*, 135, 251–264, doi:10.1006/icar.1998.5971.
- Jackman, C. H., R. H. Garvey, and A. E. S. Green (1977), Electron impact on atmospheric gases. I - Updated cross sections, *J. Geophys. Res.*, 82, 5081–5090, doi:10.1029/JA082i032p05081.
- Jacobsen, S., F. M. Neubauer, J. Saur, and N. Schilling (2007), Io's nonlinear MHD-wave field in the heterogeneous Jovian magnetosphere, *Geophys. Res. Lett.*, 34, 10,202–+, doi:10.1029/2006GL029187.
- Jacobsen, S., J. Saur, F. M. Neubauer, B. Bonfond, J. C. Gérard, and D. Grodent (submitted), The location and spatial shape of electron beams in io's wake.

- Jia, X., M. G. Kivelson, K. K. Khurana, and R. J. Walker (2009a), Magnetic Fields of the Satellites of Jupiter and Saturn, *Space Science Reviews*, pp. 25–+, doi: 10.1007/s11214-009-9507-8.
- Jia, X., R. J. Walker, K. M. G., K. K. Khurana, and J. A. Linker (2009b), Properties of ganymede's magnetosphere inferred from improved three-dimensional mhd simulations, *J. Geophys. Res.*, 114, A09,209, doi:10.1029/2009JA014375.
- Jones, S. T., and Y.-J. Su (2008), Role of dispersive Alfvén waves in generating parallel electric fields along the Io-Jupiter fluxtube, *J. Geophys. Res.*, 113, 12,205–+, doi:10.1029/2008JA013512.
- Khurana, K. K. (1997), Euler potential models of Jupiter's magnetospheric field, *J. Geophys. Res.*, 102, 11,295–11,306, doi:10.1029/97JA00563.
- Khurana, K. K., M. G. Kivelson, V. M. Vasylunas, N. Krupp, J. Woch, A. Lagg, B. H. Mauk, and W. S. Kurth (2004), *The configuration of Jupiter's magnetosphere*, pp. 593–616, Cambridge University Press.
- Kivelson, M. G., K. K. Khurana, D. J. Stevenson, L. Bennett, S. Joy, C. T. Russell, R. J. Walker, C. Zimmer, and C. Polanskey (1999), Europa and Callisto: Induced or intrinsic fields in a periodically varying plasma environment, *J. Geophys. Res.*, 104, 4609–4626, doi:10.1029/1998JA900095.
- Kivelson, M. G., F. Bagenal, W. S. Kurth, F. M. Neubauer, C. Paranicas, and J. Saur (2004), *Magnetospheric interactions with satellites*, pp. 513–536, Jupiter. The Planet, Satellites and Magnetosphere.
- Knight, S. (1973), Parallel electric fields, *Planet. Space Sci.*, 21, 741–750, doi: 10.1016/0032-0633(73)90093-7.
- Kopp, A., G. T. Birk, and A. Otto (1998), On the formation of Io-related Jovian discrete auroral phenomena, *Advances in Space Research*, 21, 1469–1473.
- Krupp, N., V. M. Vasylunas, J. Woch, A. Lagg, K. K. Khurana, M. G. Kivelson, B. H. Mauk, E. C. Roelof, D. J. Williams, S. M. Krimigis, W. S. Kurth, L. A. Frank, and W. R. Paterson (2004), *Jupiter. The Planet, Satellites and Magnetosphere*, chap. Dynamics of the Jovian magnetosphere, pp. 617–638, Cambridge University Press.

- Lainey, V., J.-E. Arlot, Ö. Karatekin, and T. van Hoolst (2009), Strong tidal dissipation in Io and Jupiter from astrometric observations, *Nature*, *459*, 957–959, doi:10.1038/nature08108.
- Landsman, W. (1998), Characteristic of the fuv-mama dark rate, *Tech. rep.*, Raytheon ITSS.
- Maiz-Apellaniz, J., and L. Ubeda (2004), A new geometric-distortion solution for the stis nuv-mama, *Tech. rep.*, STSCI, iSR 2004-01.
- Mauk, B. H., and J. Saur (2007), Equatorial electron beams and auroral structuring at Jupiter, *J. Geophys. Res.*, *112*, 10,221–+, doi:10.1029/2007JA012370.
- Mauk, B. H., D. J. Williams, and A. Eviatar (2001), Understanding Io's space environment interaction: Recent energetic electron measurements from Galileo, *J. Geophys. Res.*, *106*, 26,195–26,208, doi:10.1029/2000JA002508.
- Mauk, B. H., J. T. Clarke, D. Grodent, J. H. Waite, C. P. Paranicas, and D. J. Williams (2002), Transient aurora on Jupiter from injections of magnetospheric electrons, *Nature*, *415*, 1003–1005.
- McComas, D. J., and F. Bagenal (2007), Jupiter: A fundamentally different magnetospheric interaction with the solar wind, *Geophys. Res. Lett.*, *34*, 20,106–+, doi:10.1029/2007GL031078.
- Melin, H., S. Miller, T. Stallard, L. M. Trafton, and T. R. Geballe (2007), Variability in the H_3^+ emission of Saturn: Consequences for ionisation rates and temperature, *Icarus*, *186*, 234–241, doi:10.1016/j.icarus.2006.08.014.
- Meyer-Vernet, N., M. Moncuquet, and S. Hoang (1995), Temperature inversion in the Io plasma torus., *Icarus*, *116*, 202–213, doi:10.1006/icar.1995.1121.
- Miller, J. (2009), Analysis quantifies effects of tides in Jupiter and Io, *Physics Today*, *62*(7), 11–12.
- Mitchell, D. G., W. S. Kurth, G. B. Hospodarsky, N. Krupp, J. Saur, B. H. Mauk, J. F. Carbary, S. M. Krimigis, M. K. Dougherty, and D. C. Hamilton (2009), Ion conics and electron beams associated with auroral processes on Saturn, *J. Geophys. Res.*, *114*, 2212–+, doi:10.1029/2008JA013621.

- Moncuquet, M. (1997), Équilibre et confinement du tore de plasma d'io dans la magnétosphère de jupiter : observations d'ulysse et modélisation, Ph.D. thesis, Université Paris VII - Denis Diderot.
- Moses, J. I., B. Bézard, E. Lellouch, G. R. Gladstone, H. Feuchtgruber, and M. Allen (2000), Photochemistry of Saturn's Atmosphere. I. Hydrocarbon Chemistry and Comparisons with ISO Observations, *Icarus*, 143, 244–298, doi: 10.1006/icar.1999.6270.
- Nemzek, R. J., R. Nakamura, D. N. Baker, R. D. Belian, D. J. McComas, M. F. Thomsen, and T. Yamamoto (1995), The relationship between pulsating auroras observed from the ground and energetic electrons and plasma density measured at geosynchronous orbit, *J. Geophys. Res.*, 100, 23,935–23,944, doi: 10.1029/95JA01756.
- Neubauer, F. M. (1980), Nonlinear standing Alfvén wave current system at Io - Theory, *J. Geophys. Res.*, 85, 1171–1178.
- Oliversen, R. J., F. Scherb, W. H. Smyth, M. E. Freed, R. C. J. Woodward, M. L. Marconi, K. D. Rutherford, O. L. Lupie, and J. P. Morgenthaler (2001), Sunlit Io atmospheric [O I] 6300 Å emission and the plasma torus, *J. Geophys. Res.*, 106, 26,183–26,194, doi:10.1029/2000JA002507.
- Pagano, I., A. F. Lanza, G. Leto, S. Messina, P. Barge, and A. Baglin (2009), CoRoT-2a Magnetic Activity: Hints for Possible Star-Planet Interaction, *Earth Moon and Planets*, 105, 373–378, doi:10.1007/s11038-009-9301-3.
- Pavlovsky et al., C. (2006), *Advanced Camera for Surveys Instrument Handbook for Cycle 16*, STScI, version 7.1 ed., <http://www.stsci.edu/hst/acs>.
- Piddington, J. H., and J. F. Drake (1968), Electrodynamic Effects of Jupiter's Satellite Io, *Nature*, 217, 935–+.
- Pontius, D. H. (2002), The Io current wing, *J. Geophys. Res.*, 107, 1165–+, doi: 10.1029/2001JA000331.
- Prangé, R., D. Rego, D. Southwood, P. Zarka, S. Miller, and W. Ip (1996), Rapid energy dissipation and variability of the Io-Jupiter electrodynamic circuit, *Nature*, 379, 323–325, doi:10.1038/379323a0.

- Prangé, R., D. Rego, L. Pallier, J. Connerney, P. Zarka, and J. Queinnec (1998), Detailed study of FUV Jovian auroral features with the post-COSTAR HST faint object camera, *J. Geophys. Res.*, **103**, 20,195–20,216, doi:10.1029/98JE01128.
- Queinnec, J., and P. Zarka (1998), Io-controlled decameter arcs and Io-Jupiter interaction, *J. Geophys. Res.*, **103**, 26,649–26,666, doi:10.1029/98JA02435.
- Quijano et al., C. (2007), *STIS Instrument Handbook*, STScI, version 8.0 ed., <http://www.stsci.edu/hst/stis/>.
- Radioti, A., J.-C. Gérard, D. Grodent, B. Bonfond, N. Krupp, and J. Woch (2008a), Discontinuity in Jupiter's main auroral oval, *J. Geophys. Res.*, **113**, 1215–+, doi: 10.1029/2007JA012610.
- Radioti, A., D. Grodent, J.-C. Gérard, B. Bonfond, and J. T. Clarke (2008b), Auroral polar dawn spots: Signatures of internally driven reconnection processes at Jupiter's magnetotail, *Geophys. Res. Lett.*, **35**, 3104–+, doi: 10.1029/2007GL032460.
- Radioti, A., D. Grodent, J.-C. Gérard, E. Roussos, C. Paranicas, B. Bonfond, D. G. Mitchell, N. Krupp, S. Krimigis, and J. T. Clarke (2009a), Transient auroral features at Saturn: Signatures of energetic particle injections in the magnetosphere, *J. Geophys. Res.*, **114**, 3210–+, doi:10.1029/2008JA013632.
- Radioti, A., A. T. Tomás, D. Grodent, J.-C. Gérard, J. Gustin, B. Bonford, N. Krupp, J. Woch, and J. D. Menietti (2009b), Equatorward diffuse auroral emissions at Jupiter: Simultaneous HST and Galileo observations, *Geophys. Res. Lett.*, **36**, 7101–+, doi:10.1029/2009GL037857.
- Rutherford, K. D., H. W. Moos, D. F. Strobel, B. C. Wolven, and F. L. Roesler (2000), Io's equatorial spots: Morphology of neutral UV emissions, *J. Geophys. Res.*, **105**, 27,157–27,166, doi:10.1029/2000JA002500.
- Rutherford, K. D., H. W. Moos, and D. F. Strobel (2003), Io's auroral limb glow: Hubble Space Telescope FUV observations, *J. Geophys. Res.*, **108**, 1333–+, doi: 10.1029/2002JA009710.
- Rutherford, K. D., J. R. Spencer, S. A. Stern, J. Saur, D. F. Strobel, A. J. Steffl, G. R. Gladstone, H. A. Weaver, A. F. Cheng, J. W. Parker, D. C. Slater, M. H.

- Versteeg, M. W. Davis, F. Bagenal, H. B. Throop, R. M. C. Lopes, D. C. Reuter, A. Lunsford, S. J. Conard, L. A. Young, and J. M. Moore (2007), Io's Atmospheric Response to Eclipse: UV Aurorae Observations, *Science*, *318*, 237–, doi: 10.1126/science.1147594.
- Roesler, F. L., H. W. Moos, R. J. Oliversen, R. C. Woodward, Jr., K. D. Rutherford, F. Scherb, M. A. McGrath, W. H. Smyth, P. D. Feldman, and D. F. Strobel (1999), Far-Ultraviolet Imaging Spectroscopy of Io's Atmosphere with HST/STIS, *Science*, *283*, 353–+.
- Russell, C. T., Z. J. Yu, K. K. Khurana, and M. G. Kivelson (2001), Magnetic field changes in the inner magnetosphere of Jupiter, *Advances in Space Research*, *28*, 897–902, doi:10.1016/S0273-1177(01)00513-0.
- Saglam, A. (2004), Determination et analyse de la morphologie de l'aurore polaire de saturne à l'aide d'observations hst-stis, Master's thesis, Université de Liège.
- Sakanoi, K., H. Fukunishi, and Y. Kasahara (2005), A possible generation mechanism of temporal and spatial structures of flickering aurora, *J. Geophys. Res.*, *110*, 3206–+, doi:10.1029/2004JA010549.
- Sandel, B. R., D. E. Shemansky, A. L. Broadfoot, J. B. Holberg, G. R. Smith, J. C. McConnell, D. F. Strobel, S. K. Atreya, T. M. Donahue, H. W. Moos, D. M. Hunten, R. B. Pomphrey, and S. Linick (1982), Extreme ultraviolet observations from the Voyager 2 encounter with Saturn, *Science*, *215*, 548–553, doi: 10.1126/science.215.4532.548.
- Saur, J. (2004), A model of Io's local electric field for a combined Alfvénic and unipolar inductor far-field coupling, *J. Geophys. Res.*, *109*, 1210–+, doi: 10.1029/2002JA009354.
- Saur, J., F. M. Neubauer, D. F. Strobel, and M. E. Summers (1999), Three-dimensional plasma simulation of Io's interaction with the Io plasma torus: Asymmetric plasma flow, *J. Geophys. Res.*, *104*, 25,105–25,126, doi: 10.1029/1999JA900304.
- Saur, J., F. M. Neubauer, D. F. Strobel, and M. E. Summers (2000), Io's ultraviolet aurora: Remote sensing of Io's interaction, *Geophys. Res. Lett.*, *27*, 2893–2896, doi:10.1029/2000GL003824.

- Saur, J., F. M. Neubauer, D. F. Strobel, and M. E. Summers (2002), Interpretation of Galileo's Io plasma and field observations: I0, I24, and I27 flybys and close polar passes, *J. Geophys. Res.*, *107*, 1422–+, doi:10.1029/2001JA005067.
- Saur, J., D. F. Strobel, F. M. Neubauer, and M. E. Summers (2003), The ion mass loading rate at Io, *Icarus*, *163*, 456–468, doi:10.1016/S0019-1035(03)00085-X.
- Saur, J., F. M. Neubauer, J. E. P. Connerney, P. Zarka, and M. G. Kivelson (2004), *Jupiter. The Planet, Satellites and Magnetosphere*, chap. Plasma interaction of Io with its plasma torus, pp. 537–560, Cambridge University Press.
- Saur, J., B. H. Mauk, D. G. Mitchell, N. Krupp, K. K. Khurana, S. Livi, S. M. Krimigis, P. T. Newell, D. J. Williams, P. C. Brandt, A. Lagg, E. Roussos, and M. K. Dougherty (2006), Anti-planetward auroral electron beams at Saturn, *Nature*, *439*, 699–702, doi:10.1038/nature04401.
- Serio, A. W., and J. T. Clarke (2008), The variation of Io's auroral footprint brightness with the location of Io in the plasma torus, *Icarus*, *197*, 368–374, doi:10.1016/j.icarus.2008.03.026.
- Shematovich, V. I., D. V. Bisikalo, and J. C. Gérard (1994), A kinetic model of the formation of the hot oxygen geocorona. 1: Quiet geomagnetic conditions, *J. Geophys. Res.*, *99*, 23,217–+, doi:10.1029/94JA01769.
- Shematovich, V. I., D. V. Bisikalo, J.-C. Gérard, C. Cox, S. W. Bouger, and F. Leblanc (2008), Monte Carlo model of electron transport for the calculation of Mars dayglow emissions, *J. Geophys. Res.*, *113*, 2011–+, doi:10.1029/2007JE002938.
- Shkolnik, E., G. A. H. Walker, and D. A. Bohlender (2003), Evidence for Planet-induced Chromospheric Activity on HD 179949, *The Astrophysical Journal*, *597*, 1092–1096, doi:10.1086/378583.
- Shkolnik, E., G. A. H. Walker, D. A. Bohlender, P.-G. Gu, and M. Kürster (2005), Hot Jupiters and Hot Spots: The Short- and Long-Term Chromospheric Activity on Stars with Giant Planets, *The Astrophysical Journal*, *622*, 1075–1090, doi:10.1086/428037.

- Shyn, T. W., and W. E. Sharp (1981), Angular distributions of electrons elastically scattered from H_2 , *Physical Review A (General Physics)*, *24*, 1734–1740, doi: 10.1103/PhysRevA.24.1734.
- Smith, C. G. A., A. D. Aylward, S. Miller, and I. C. F. Müller-Wodarg (2005), Polar heating in Saturn’s thermosphere, *Annales Geophysicae*, *23*, 2465–2477.
- Smith, R. (1998), Vertical winds: a tutorial, *Journal of Atmospheric and Solar-Terrestrial Physics*, *60*(14), 1425 – 1434, doi:DOI: 10.1016/S1364-6826(98)00058-3.
- Smyth, W. H., and M. L. Marconi (1998), An explanation for the east-west asymmetry of the Io plasma torus, *J. Geophys. Res.*, *103*, 9091–9100, doi: 10.1029/97JA03597.
- Swift, D. W. (2007), Simulation of auroral electron acceleration by inertial Alfvén waves, *J. Geophys. Res.*, *112*, 12,207–+, doi:10.1029/2007JA012423.
- Thomas, N., F. Bagenal, T. W. Hill, and J. K. Wilson (2004), *Jupiter. The Planet, Satellites and Magnetosphere*, chap. The Io neutral clouds and plasma torus, pp. 561–591, Cambridge University Press.
- Vasavada, A. R., A. H. Bouchez, A. P. Ingersoll, B. Little, C. D. Anger, and The Galileo SSI Team (1999), Jupiter’s visible aurora and Io footprint, *J. Geophys. Res.*, *104*, 27,133–+.
- Vasyliunas, V. M. (1983), *Physics of the Jovian magnetosphere*, chap. Plasma distribution and flow, pp. 395–453, Cambridge University Press.
- Vincent, M. B., J. T. Clarke, G. E. Ballester, W. M. Harris, R. A. West, J. T. Trauger, R. W. Evans, K. R. Stapelfeldt, D. Crisp, C. J. Burrows, J. S. Gallagher, R. E. Griffiths, J. Jeff Hester, J. G. Hoessel, J. A. Holtzman, J. R. Mould, P. A. Scowen, A. M. Watson, and J. A. Westphal (2000), Mapping Jupiter’s Latitudinal Bands and Great Red Spot Using HST/WFPC2 Far-Ultraviolet Imaging, *Icarus*, *143*, 189–204, doi:10.1006/icar.1999.6232.
- Walker, G. A. H., B. Croll, J. M. Matthews, R. Kuschnig, D. Huber, W. W. Weiss, E. Shkolnik, S. M. Rucinski, D. B. Guenther, A. F. J. Moffat, and D. Sasselov

- (2008), MOST detects variability on τ Bootis A possibly induced by its planetary companion, *Astronomy and Astrophysics*, *482*, 691–697, doi:10.1051/0004-6361:20078952.
- Walsh, J. R., P. Goodfrooij, and E. Malumuth (2001), Stis geometric distortion - smov3a tests for ccd, nuv-mama and fuv-mama, *Tech. rep.*, STSCI, iSR 2001-02.
- Weiss, J. W. (2004), *Jupiter. The Planet, Satellites and Magnetosphere*, chap. Appendix 2: Planetary Parameters, pp. 699–706, Cambridge University Press.
- Williams, D. J., and R. M. Thorne (2003), Energetic particles over Io's polar caps, *J. Geophys. Res.*, *108*, 7–1, doi:10.1029/2003JA009980.
- Williams, D. J., B. H. Mauk, R. E. McEntire, E. C. Roelof, T. P. Armstrong, B. Wilken, J. G. Roederer, S. M. Krimigis, T. A. Fritz, and L. J. Lanzerotti (1996), Electron Beams and Ion Composition Measured at Io and in Its Torus, *Science*, *274*, 401–403.
- Williams, D. J., R. M. Thorne, and B. Mauk (1999), Energetic electron beams and trapped electrons at Io, *J. Geophys. Res.*, *104*, 14,739–14,754, doi: 10.1029/1999JA900115.
- Wolven, B. C., H. W. Moos, K. D. Rutherford, P. D. Feldman, D. F. Strobel, W. H. Smyth, and F. L. Roesler (2001), Emission profiles of neutral oxygen and sulfur in Io's exospheric corona, *J. Geophys. Res.*, *106*, 26,155–26,182, doi: 10.1029/2000JA002506.
- Wright, A. N. (1987), The interaction of Io's Alfvén waves with the Jovian magnetosphere, *J. Geophys. Res.*, *92*, 9963–9970.
- Wright, A. N., and S. J. Schwartz (1989), The transmission of Alfvén waves through the Io plasma torus, *J. Geophys. Res.*, *94*, 3749–3754.
- Wu, C. S. (1985), Kinetic cyclotron and synchrotron maser instabilities - Radio emission processes by direct amplification of radiation, *Space Science Reviews*, *41*, 215–298.
- Yelle, R. V., L. A. Young, R. J. Vervack, R. Young, L. Pfister, and B. R. Sandel (1996), Structure of Jupiter's upper atmosphere: Predictions for Galileo, *J. Geophys. Res.*, *101*, 2149–2162, doi:10.1029/95JE03384.